
Product data sheet: Electric height adjustable desk frame 501-25




ConSet



ConSet

Table of contents

Packing details	page	3
Main measures and specifications	page	4
Tabletop drillings	page	5
Assembly and use	page	6
Safety and tests	page	7
Specification, components	page	8




Packing details

[mm] 27-11/16" x 6-7/16" x 26-11/16" [inch]	30-7/16" x 6-15/16" x 4" [inch] 48-7/16" x 6-15/16" x 4" [inch] 49-7/16" x 6-15/16" x 4" [inch] 54-1/4" x 6-15/16" x 4" [inch] 30-7/16" x 6-15/16" x 4" [inch]			44 [lbs]			18 [lbs] 20 [lbs]	21 [lbs] 22 [lbs]	Conset A/S Started 14-16 Denmark	mue: Box components		DWG NC. 125160 REVISION
[mm] 2	[mm] [mm]			[kg]		[kg]	[kg]	[kg] [kg]	\bigoplus_{\square}	DATE 02-03-2011		
03 x 163 x 678	773 × 177 × 102 1230 × 177 × 102 1269 × 177 × 102 1378 × 177 × 102 1458 × 177 × 102			20		9	∞ ∽	9	SHEET 4 OF 4	DRAWN jo CHECKED	Processes:	WEIGHT:
<mark>501-25 - box medsures</mark> Box of legs 501-25 XXXXX WxDxH 703 x 163 x 678	Box of cross bars 501-2X XX084 LxWxH 501-2X XX129 LxWxH 501-2X XX133 LxWxH 501-2X XX133 LxWxH 501-2X XX152 LxWxH 501-2X XX152 LxWxH	<u>501-25 - box weights</u>	Box of legs	501-29 XXXXX	Box of cross bars	501-2X XX084	501-2X XX129 501-2X XX133	501-2X XX144 501-2X XX152	DO NOT SCALE DRAWING	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: According to UNLERR: DIV7165-11 ANGULAR: DIV7165-11	PROPRIETARY AND CONFIDENTIAL	I THE INFORMED CONTRIED UT A STATEMED UCTION IN PART OCRAS A WHOLE WITHOUT HE WEITEN OR AS A WHOLE WITHOUT HE WEITEN PERMISSION OF CONSET A/S IS PROHIBITED.
	Right leg	Left leg	Mounting bag	Control box & power supply			Upper cross bar	Lower cross bar)	

ConSet

Main measures and specifications




ConSet

Product data sheet: Electric height adjustable desk frame 501-25

Tabletop drillings

ConSet




Assembly and use

Along with all products a "Direction for assembly and use" is delivered. In this you will find a detailed description of the way of assembly.



After the frame has been mounted the chosen tabletop is mounted and the operation unit will be possible to fix at the bottom side of the tabletop. This operation unit has two rocker switches.

With push switch A and rocker switch B it is possible to move the tabletop up and down and can be stopped at all levels. For safety reasons it is necessary to push both buttons at the same time for moving the table up and down.



Safety and tests

All products have been tested up against the following norms:

ISO/DIS 8019

DS/ISO 7172

The norms mention above is possible to find at the website in the section "Norms and approvals".

DECLARATION OF CONFORMITY

We hereby declare, under our sole responsibility that the following products:

- ConSet sit and stand tables product type 501-25

which are covered by this statement, are in conformity with the following standards and other normative documents::

- Counsel Directive 98/37/EF
- Counsel Directive 89/336/EØF with later changes
- Counsel Directive 73/23/EØF with later changes

With reference to the Machinery Directive (98/37/EF) please be aware:

- the sit and stand table is considered a machine and
- the sit and stand table may not be used until it has been assembled and installed according to the instructions.".

Component specifications

Metal sheet parts:	St 37-2
Gear parts:	St 70-2
Gear motor:	CS no. 107630
Power supply:	80 W AC Power Transformer Input 100-240 VAC ~ 50/60Hz
	Consumption: 80 Watts; Standby: Less than 1 Watt
Plastic components:	PA6, POM, PE-HD
Surface treatment	Visible metal parts powder coated in "alu" colour, RAL9006 and black, RAL 9004 Non visible metal parts are surface treated (e.g. plated)